

# RH SUPPORT

Individually adjustable support stools for  
maximum mobility



 **rh** chairs

# RH SUPPORT


RH Support is a stool system for People who need to take the weight off of their back and legs when working in a standing position. The Support system allows you to put together a stool to suit your specific needs at work. Just combine the backrest, seat, mechanism, gas spring, base and castors.

## Support when standing

For higher working positions: check-out, laboratory, industrial, sorting, fitting and commercial kitchen work.

## Support when sitting

For lower working positions: teaching, nursery and industrial work.



### RH 3G Mechanism

1. Seat height adjustment with gas spring
2. Seat and backrest angle adjustment
3. Backrest height adjustment



### RH 3H Mechanism

1. Seat height adjustment with gas spring
2. Seat angle adjustment



### RH 3I Mechanism

1. Seat height adjustment with gas spring



### RH 3J Mechanism

1. Seat height adjustment with gas spring. Foot operated.

# SUPPORT STOOL RH ALTERNATIV

**RH ALTERNATIV** — The most flexible stool in the Support range. Can be used as a support stool - or for chest support. The narrow chest support takes the weight off the body and gives great freedom of movement for the arms.

The chest support encourages an upright posture. The seat is flat and supports the pelvis and thighs. This 3-point support takes the weight off of the back, legs and feet.



**THE RH ALTERNATIV** seat and back/chest support cushion is made of moulded foam.

The 3G mechanism provides completely variable adjustment of seat and back/chest support angle.

Select the gas stem, base and castors from our Support range.

Dimensions back/chest support:

Width: 22 cm. Height: 26 cm.

Dimensions seat: Width: 35 cm. Depth: 35 cm.

# COMPOSE YOUR OWN CHAIR



## BACKRESTS

Choose the backrest for the best support and great freedom of movement.



**RH 1H**

Backrest with a moulded foam cushion. Upholstery of your choice.  
Height: 23 cm. Width: 38 cm.

### UPHOLSTERY MATERIALS AND COLOURS

Support and Alternativ stools are available in a wide range of materials and colours. See separate upholstery fabric card. Customers own material (C.O.M) also available.



## SEATS

Choose the seat shape according to your requirements and working conditions. Remember to select a material for good adhesion/friction, important when tilting the seat forwards on the higher support stools.



**RH 2G**

**Sadel;** seat with a moulded foam cushion.  
Depth: 38 cm. Width: 41 cm



**RH 2H**

**Taburett;** seat.  
Upholstery of your choice.  
Diameter: 35 cm.



**RH 2F**

**Limpan;** seat.  
Upholstery of your choice.  
Depth: 24 cm. Width: 45 cm.



**RH 2I**

**Froli;** seat - integrally moulded black foam (supplied with mechanism RH 3H, RH 3J or RH 3I).  
Depth: 27 cm. Width: 35 cm.



## MECHANISMS

Choose the mechanism to suit your work. You can choose between a mechanism with all the functions through to the simplest foot operated mechanism. See page 2 for a description of their functions.



**RH 3G**

Chair mechanism, black lacquered steel incl. backstem.  
Functions: see page 2.



**RH 3H**

Chair mechanism, black lacquered steel.  
Functions: see page 2.



**RH 3I**

Chair mechanism, aluminium.  
Functions: see page 2.



**RH 3J**

Chair mechanism, aluminium.  
Functions: see page 2.



## GAS STEMS

Choose a gas stem to suit your working height. Minor deviations in height can occur due to the choice of mechanism and base.



**RH 4A**

Seat height:  
58-82 cm

**RH 4C**

Seat height:  
52-69 cm

**RH 4FH**

Seat height:  
45-57 cm

**RH 4F**

Seat height:  
42-55 cm

**RH 4FL**

Seat height:  
37-46 cm

**Fixlift**

Gas stem with rotation lock. Available in 4A, 4C, 4F heights



## BASES

Bases are available in black lacquered aluminium, polished aluminium and black polyamide. The ESD support stool is supplied with a polished aluminium base as standard.



**RH 5D**

Base; 60 cm dia. black polyamide.

**RH 5J**

Base; 62 cm dia. polished aluminium.


**RH 5K**

Base; 62 cm dia. black lacquered aluminium.



## FOOTRING

Choose the footring for support.



**RH 6F**

Height adjustable footring. Black laquered. 47.5 cm dia.



## GLIDES · CASTORS

The choice of glides or castors depends on the floor surface. For higher working heights, locking castors or glides are recommended.



**RH 7G**

Castors with urethane track, locks automatically when seated.

**RH 7H**

Castors with urethane track for concrete floors. Free-wheeling.

**RH 7I**

Castor with urethane track, for hard floors. Semi-braked.



**RH 7K**

Glide.

**RH 7P**

Castors for carpeted floors, free-wheeling.

**ESD** ⚡

Support stools can be supplied to ESD standard.



**RH 7C**

Glide antistatic, with metal base.

**RH 7F**

Castors, antistatic. Free-wheeling.

# THE RIGHT CHAIR FOR THE RIGHT JOB

Some examples of complete stools from the Support range. The part numbers beside each picture are the components used in the stools. Contact us or your nearest dealer for help in choosing the right stool and accessories.



1H  
2G  
3G  
4A  
5J  
7F



1H  
2F  
3G  
4A  
5K  
7I



2I  
3H  
4F  
5K  
7H



2G  
3H  
4A  
5K  
7G



1H  
2G  
3G  
4C  
5J  
7F



1H  
2H  
3G  
4A  
5K  
7I



RH Support/Alternativ stools are made from recyclable materials with a recycling guarantee which means that when a RH product has reached the end of its life, it can be returned to us and recycled without cost. A complete list of recyclable materials in the RH Support range is available on request from RH Form.

Dealer:



VOOR INFORMATIE EN VERKOOP:

**SCHOLTENS**  
werkplekinrichting

Sarphatistraat 604 1018 AV Amsterdam  
Telefoon : 020 - 423 4100 Fax : 020 - 528 6877  
www.scholtenswerkplek.nl

GESPECIALISEERD DEALER



RH Form (UK), Upper Tulse Hill Trading Estate  
5 Somers Place, London, SW2 2AL  
Tel 020 8674 4111, Fax 020 8674 8887

e-mail: info@rhform.co.uk

www.rhform.com

We reserve the right to alter products without prior notification